

19" NETbox HOME Wall Mounting Cabinets



19" NETbox HOME Wall Mounting Cabinets Family

NETbox HOME Residential Cabinet Features, Construction Details:

Monoblock U shaped construction provides better stability.

The NETbox Home Wall Mounting is for that situation where quick access to the equipment is of primary importance. It is designed to house 19" standard mounting devices.

The NETbox Home Wall Mounting Cabinet offers a highly cost-effective and assembly-friendly solution for numerous applications in the field of network technology and electronics.

The NETbox Home Wall Mounting Cabinet front door is integrated with decorative 2,5 mm thickness aluminium extruded frames, full length smoked, shatterproof, antistatic, 4,0 mm thickness glass with single point locking barrel lock.

Aluminium extruded frame carry an decorative PVC Stripes charming the attraction, Anthracite Grey for RAL 7035 Light Grey Cabinets and Light Grey for RAL 9005 Black cabinets. However based on customer wishes and/or market demands Lande offers multiple color option to customers.

The NETbox Home Wall Mounting Cabinet because of the intend of decoratively fitting to environment of your living areas, the cabinet has been integrated with highly modern, art fragrant 0,5 mm thickness PVC decoration on top and bottom provision of the glass door.


Includings:

- Complete with 2 ea. 19" equipment mounting rail, with automated silk-screen U numbering, removable in depth.
- Grounding studs are fixed on to main body and front door frame for grounding continuity, shipping configuration includes the yellow/green grounding wires with nuts.
- Reinforced 2,5 mm thickness aluminium extruded housing for glass door with left and right metal frames, lockable, removable complete with barrel locking system.
- Reversible front door left to right or reverse.
- Material thickness: 1,2 mm.
- 8-12 micron zinc plated mounting rails t: 1,5 mm.
- Self locking type sturdy structure and rugged, monoblock frame.
- Multipurpose usage.

Passive ventilation punched slot holes in front of top and bottom case.

Cables access:

- Multiple cable entry points on top and bottom with 6 knock-out holes at 1" size and additional micro-joint break down cable entry hole at 452 mm size for mass cable entry needs.



19" NETbox HOME Wall Mounting Cabinets

Width: 600 mm
Depth: 150/300 mm

Load Capacity: 80 kgs.

U Height: 6U, 9U, 12U

Standards and Compliances:



ISO 9001
Quality Management System

EN 61587-1
Mechanical Structures for
Electronic Equipment

EN IEC 297-1, 19" Mounting
EN IEC 297-2 Overall Cabinet Dimensions

EN/IEC 60529- IP20 Ingress Protection
performance

EN/IEC 62262- IK07 Mechanical
Impact Resistance

EIA/ ECA-310 (D/E) 19" 482,6 mm
and U 44,45 mm Height Sizing



CE conform to
EN 60950-1
Information Technology
Equipment, Safety,
Part-1: General Requirement

EN IEC 62368-1 Audio/Video, Information
and Communication Technology Equipment
Part 1: Safety requirements



UL listed to
UL 2416, Outline of Investigation for
Audio/Video, Information and
Communication Technology Equipment
Cabinet, Enclosure and Rack
Systems; UL 60950-1 and CSA C22.2
NO. 60950-1-07, Information Technology
Equipment Safety
Part 1: General Requirements



Environment Friendly;
ISO 14001 Environmental
Management System
RoHS compliancy
%100 Recyclable Material

Standard Colors:



RAL 7035 Light Grey



RAL 9005 Black



NETbox Home Series Wall Mounting Networking Enclosures, with 19" w:600 mm and d:150/300 mm physical sizes, with less depth need in environmentally fit especially for residential applications, and 3 different height, gives a wide selection chart for users.


All Lande NETbox Home Wall cabinets are being delivered as a single piece pre-assembled enclosure, with standard factory settings.

For decoratively fitting to environment of your living areas, the cabinet has been integrated with highly modern, art fragrant parts and accessories.


19" NETbox HOME Wall Mounting Cabinets

Width: 600 mm
Depth: 150 mm


Construction Drawing



Bottom view




Isometric view




Front view




Side view



Rear view



Top view




Exploded view


19" NETbox HOME Wall Mounting Cabinets

Width: 600 mm
Depth: 150 mm


Construction Drawing



Front door
opening angle



Max/Std/Min
Equipment mounting
distance



Dimensions in
width and height

19" NETbox HOME Series Wall Mounting Cabinets W= 600 mm D= 150 mm


*Product Number	Product Description	Size WxDxH mm.	h Size in U	h in mm.	H mm, overall	Ah Wall Mounting h mm.	Width Overall mm.	Width Rail to Rear Door	Depth Overall mm.	Depth Shipping Conf. Rail to Rear Panel mm	QTY IN PACKAGE	PACKING DIMENSIONS WxDxH mm.	Standard NET Weight of Product kgs.	Gross Weight of Product kgs.	QTY IN PALLET	PALLET DIMENSIONS WxDxH mm.	Pallet Weight kgs.
LN-RS06U6015-LG	6U 19" Wall Mounting Cabinet W=600 mm D=150 mm	600x150x373	6U	267	373	215	600	19"	150	75	1	620x170x395	7,5	8,5	60	1000x1320x2460	535
LN-RS09U6015-LG	9U 19" Wall Mounting Cabinet W=600 mm D=150 mm	600x150x506	9U	400	506	349	600	19"	150	75	1	620x170x525	10	11	48	1000x1250x2160	548
LN-RS12U6015-LG	12U 19" Wall Mounting Cabinet W=600 mm D=150 mm	600x150x640	12U	533	640	482	600	19"	150	75	1	620x170x660	13	14,5	24	680x1250x2280	363

*CC= LG for Light Grey RAL 7035 & BL for Black RAL 9005 for customers to define while ordering.


19" NETbox HOME Wall Mounting Cabinets

Width: 600 mm
Depth: 300 mm


Construction Drawing




Bottom view




Isometric view




Front view




Side view



Rear view



Top view






Exploded view

19" NETbox HOME Wall Mounting Cabinets

Width: 600 mm
Depth: 300 mm

Construction Drawing



19" NETbox HOME Series Wall Mounting Cabinets W= 600 mm D= 300 mm

*Product Number	Product Description	Size WxDxH mm	h Size in U	h in mm	H mm, overall	Ah Wall Mounting h mm	Width Overall mm	Width Rail to Rear Door	Depth Overall mm	Depth Shipping Conf. Rail to Rear Panel mm	QTY IN PACKAGE	PACKING DIMENSIONS WxDxH mm	Standard NET Weight of Product kgs	Gross Weight of Product kgs	QTY IN PALLET	PALLET DIMENSIONS WxDxH mm	Pallet Weight kgs
LN-RS06U6030-LG	6U 19" Wall Mounting Cabinet W=600 mm D=300 mm	600x300x373	6U	267	373	215	600	19"	300	225	1	620x320x395	10	11	36	1100x1320x2460	421
LN-RS09U6030-LG	9U 19" Wall Mounting Cabinet W=600 mm D=300 mm	600x300x506	9U	400	506	349	600	19"	300	225	1	620x320x525	13	14,5	28	1100x1250x2380	426
LN-RS12U6030-LG	12U 19" Wall Mounting Cabinet W=600 mm D=300 mm	600x300x640	12U	533	640	482	600	19"	300	225	1	620x320x660	16	18	14	680x1250x2430	267

*CC= LG for Light Grey RAL 7035 & BL for Black RAL 9005 for customers to define while ordering.

19" NETbox Home Wall Mounting Cabinets

Frequent Used Accessorries



M6 steel caged nut set, screw and nuts included, 8 pcs set, 20 pcs set and 50 pcs set.

NETbox HOME Wall Mounting Cabinet Mounting Hardware		
Part Number	w:600 x d:150 mm	w:600 x d:300 mm
LN-DGR-KFS-M608-XX	✓	✓
LN-DGR-KFS-M620-XX	✓	✓
LN-DGR-KFS-M650-XX	✓	✓



Horizontal cable management panels are for the cable management inside the cabinet, with the intend of carrying the cables into the final connection point. 1U 19" with 5 rings. Supply is in RAL 9005 Black and RAL 7035 Light Grey colors.

NETbox HOME Wall Mounting Cabinet - Horizontal Cable Management		
*Part Number	w:600 x d:150 mm	w:600 x d:300 mm
LN-KDG-YKD-1UKN-CC	✓	✓

* CC is color code: please insert BL for Black and LG for Light Grey on the part numbers while creating order.



PDU 6xDIN49440 socket Schuko power strip, 19" 1U, aluminium housing, 1x16A cct breaker, 4000 Watt, 250V AC, 3x1.5mm², 2,5m cable, DIN 49441 plug, CE approval.

PDU 6xBS1363 UK socket power strip, 19" 1U, aluminium housing, 16A illuminated on/off switched, 3250 Watt, 250V AC, 3x1.5mm², 2,5m cable, 13A BS1363 plug, CE approval

NETbox HOME Wall Mounting Cabinet - Power Distribution Unit		
Part Number	w:600 x d:150 mm	w:600 x d:300 mm
LN-PRZ-SGT-1U6P-SC	✓	✓
LN-PRZ-ONF-1U6P-UK	✓	✓



CONTACT DETAILS

Headquarters

Address:

Merve Mah. Gazi Cad. No: 17 **Phone:** +90 216 312 26 53
Sancaktepe - İstanbul / TURKEY **Fax** : +90 216 312 09 09

Factory

Address:

20. Cadde No: 14 Eskişehir **Phone:** +90 222 236 24 66 pbx
Organize San. Bölge. 26110 **Fax** : +90 222 236 13 53
Eskişehir / TURKEY

www.landet.com.tr | sales@landet.com.tr

