

TEST REPORT

Page 1 of 12

REPORT NUMBER : TURT210144955

APPLICANT NAME : Lande End. Met. Ür. San. ve Tic.A.Ş.

ADDRESS : Eskişehir Organize Sanayi Bölgesi 20. Cadde No:14 26110 Eskişehir / TURKEY
TEL:0222 236 24 66

Attention : Özlem Kumru (ozlem.kumru@lande.com.tr)

SAMPLE DESCRIPTION :

- Sample 1 One sample of CABLE CUT OFF 70X145 (RAL 7024 ANTHRACITE) (NAIL THICKNESS 1MM)
- Sample 2 One sample of INCLUDED PLASTIC BODY O-LOCK SET - PR SIDE COVER (KEY INCLUDED)
- Sample 3 One sample of ADHESIVE GASKET (3X10) (BLACK) (EMKA 1016-13)
- Sample 4 One sample of WALL/SERVER TYPE HINGE SLEEVE IC CAP M5 / M7X15 (RAL 9005 BLACK)
- Sample 5 One sample of 70X145 BRUSH PLASTIC INSTALLATION (WHITE - SH)
- Sample 6 One sample of SERVER TYPE RING CLOSING PLUG M11 (RAL 7047 ANTHRACITE GRAY)
- Sample 7 One sample of WALL/SERVER TYPE HINGE PLUG M7X10 (RAL 9005 BLACK)
- Sample 8 One sample of 1810 STANDARD WM PLASTIC CABLE PASS CLOSURE (RAL 7024 ANTHRACITE)
- Sample 9 One sample of 20X20X145 SUNGER SERIES TAPE
- Sample 10 One sample of WALL TYPE LOCK PLASTIC PLUG (RAL 7024 ANTHRACITE)
- Sample 11 One sample of GENERAL GLASS SERIES
- Sample 12 One sample of OPENABLE SOHO CORNER PROFILE PLUG (1.5MM THICKNESS)
- Sample 13 One sample of PLASTIC GLASS FIXING PART (WHITE)
- Sample 14 One sample of STANDING TYPE HANDLE 1150 LOCK SET 9473 CORE CODE (1 POINT LOCKING) (SINGLE ACCEPT)

DATE IN : 4 November ,2021 (11:58:00)

RESUBMIT DATE : 15 November ,2021

DATE OUT : 18 November ,2021

Ezgi Aleyna ARI
Customer Care Executive

Zeynep AKIN
Chemical Laboratory Manager

Intertek Test Hizmetleri A.Ş.
Merkez Mahallesi Sanayi Cad. No.23 Altindag Plaza Yenibosna-34197 /ISTANBUL
Phone : +90 212 496 46 46 Fax: +90 212 452 80 55
e-mail : intertekcg.turkiye@intertek.com
<http://www.intertek-turkey.com>



210144955

TEST REPORT

REPORT : TURT210144955

Page 2 of 12

TEST	SAMPLE						
	1	2	3	4	5	6	7
TSCA Analysis	NR	NR	NR	NR	NR	NR	NR

TEST	SAMPLE						
	8	9	10	11	12	13	14
TSCA Analysis	NR	NR	NR	NR	NR	NR	NR

P = MEETS BUYER' S REQUIREMENT / F = DOES NOT MEET BUYER' S REQUIREMENT / NR = NO REQUIREMENT / SC=STILL CONTINUES / X=NOT PERFORMED / NA = NOT APPLICABLE / LS = LACK OF SAMPLE / NC = NO COMMENT / I = INCONCLUSIVE / # = SEE RESULT / NF = NEEDS FURTHER TESTING / A = ABSENT / M = MARGINAL ACCEPT / SD = SEE DETAILS ENCLOSED / FS: FURTHER STEPS / SR = SEE RESULT

This report (including any enclosures and attachments) are prepared for the exclusive use of the Customer(s) named in the report and solely for the purpose for which it is provided and on the basis of instructions and information and/or materials supplied by Intertek's Customer. The test results relate only to the specific items tested and are not intended to be a recommendation for any particular course of action. Customer is responsible for acting as it sees fit on the basis of such results. Unless Intertek provide express prior written consent, no part of this report should be reproduced, distributed or communicated to any third party, nor could it be used for PR activities. Intertek do not accept any liability if this report is used for an alternative purpose from which it is intended, nor do Intertek owe any duty of care to any third party in respect of this report. Except where explicitly agreed in writing, all work and services performed is governed by Intertek Standard Terms and Conditions of Service which is available on request or can be obtained at <http://www.intertek.com/terms>. Testing reports without signature are not valid. The sample has been provided by the customer and the results apply to the sample as received. Sample information is supplied by the customer. Unless otherwise requested, this laboratory applies shared risk decision rule. Unless otherwise is specified, all Pass or Fail results are given without uncertainty considered



RESULTS
REPORT :TURT210144955

Page 3 of 12
18 November ,2021
Hardline

Test Method	Results	Requirements
TSCA Analysis		
In House Test Method 0.5 g sample/5 ml DCM, sonication for 30 mins at 70 degrees, cool and add 5 ml MeOH, 0,45 um filter, analysis with GC/MS		
Sample 1		
	RESULTS	REQUIREMENT
2,4,6-Tris(tert-butyl)phenol (2,4,6-TTBP) (732-26-3)	Not Detected	
Decabromodiphenyl ether (DecaBDE) (1163-19-5)	Not Detected	
Phenol, isopropylated phosphate (3:1) (PIP 3:1) (68937-41-7)	Not Detected	No Requirement
Pentachlorothiophenol (PCTP) (133-49-3)	Not Detected	
Hexachlorobutadiene (HCBD) (87-68-3)	Not Detected	
Sample 2		
	RESULTS	REQUIREMENT
2,4,6-Tris(tert-butyl)phenol (2,4,6-TTBP) (732-26-3)	Not Detected	
Decabromodiphenyl ether (DecaBDE) (1163-19-5)	Not Detected	
Phenol, isopropylated phosphate (3:1) (PIP 3:1) (68937-41-7)	Not Detected	No Requirement
Pentachlorothiophenol (PCTP) (133-49-3)	Not Detected	
Hexachlorobutadiene (HCBD) (87-68-3)	Not Detected	

Test Method	Results	Requirements
TSCA Analysis In House Test Method 0.5 g sample/5 ml DCM, sonication for 30 mins at 70 degrees, cool and add 5 ml MeOH, 0,45 um filter, analysis with GC/MS		
Result		
Sample 3	RESULTS	REQUIREMENT
2,4,6-Tris(tert-butyl)phenol (2,4,6-TTBP) (732-26-3)	Not Detected	
Decabromodiphenyl ether (DecaBDE) (1163-19-5)	Not Detected	
Phenol, isopropylated phosphate (3:1) (PIP 3:1) (68937-41-7)	Not Detected	No Requirement
Pentachlorothiophenol (PCTP) (133-49-3)	Not Detected	
Hexachlorobutadiene (HCBD) (87-68-3)	Not Detected	
Sample 4	RESULTS	REQUIREMENT
2,4,6-Tris(tert-butyl)phenol (2,4,6-TTBP) (732-26-3)	Not Detected	
Decabromodiphenyl ether (DecaBDE) (1163-19-5)	Not Detected	
Phenol, isopropylated phosphate (3:1) (PIP 3:1) (68937-41-7)	Not Detected	No Requirement
Pentachlorothiophenol (PCTP) (133-49-3)	Not Detected	
Hexachlorobutadiene (HCBD) (87-68-3)	Not Detected	

Test Method	Results	Requirements
TSCA Analysis		
In House Test Method 0.5 g sample/5 ml DCM, sonication for 30 mins at 70 degrees, cool and add 5 ml MeOH, 0,45 um filter, analysis with GC/MS		
Result		
Sample 5		
White plastic part	RESULTS	REQUIREMENT
2,4,6-Tris(tert-butyl)phenol (2,4,6-TTBP) (732-26-3)	Not Detected	
Decabromodiphenyl ether (DecaBDE) (1163-19-5)	Not Detected	
Phenol, isopropylated phosphate (3:1) (PIP 3:1) (68937-41-7)	Not Detected	No Requirement
Pentachlorothiophenol (PCTP) (133-49-3)	Not Detected	
Hexachlorobutadiene (HCBD) (87-68-3)	Not Detected	
Sample 5		
Black plastic brush	RESULTS	REQUIREMENT
2,4,6-Tris(tert-butyl)phenol (2,4,6-TTBP) (732-26-3)	Not Detected	
Decabromodiphenyl ether (DecaBDE) (1163-19-5)	Not Detected	
Phenol, isopropylated phosphate (3:1) (PIP 3:1) (68937-41-7)	Not Detected	No Requirement
Pentachlorothiophenol (PCTP) (133-49-3)	Not Detected	
Hexachlorobutadiene (HCBD) (87-68-3)	Not Detected	

Test Method	Results	Requirements
TSCA Analysis In House Test Method 0.5 g sample/5 ml DCM, sonication for 30 mins at 70 degrees, cool and add 5 ml MeOH, 0,45 um filter, analysis with GC/MS		
Result		
Sample 6	RESULTS	REQUIREMENT
2,4,6-Tris(tert-butyl)phenol (2,4,6-TTBP) (732-26-3)	Not Detected	
Decabromodiphenyl ether (DecaBDE) (1163-19-5)	Not Detected	
Phenol, isopropylated phosphate (3:1) (PIP 3:1) (68937-41-7)	Not Detected	No Requirement
Pentachlorothiophenol (PCTP) (133-49-3)	Not Detected	
Hexachlorobutadiene (HCBD) (87-68-3)	Not Detected	
Sample 7	RESULTS	REQUIREMENT
2,4,6-Tris(tert-butyl)phenol (2,4,6-TTBP) (732-26-3)	Not Detected	
Decabromodiphenyl ether (DecaBDE) (1163-19-5)	Not Detected	
Phenol, isopropylated phosphate (3:1) (PIP 3:1) (68937-41-7)	Not Detected	No Requirement
Pentachlorothiophenol (PCTP) (133-49-3)	Not Detected	
Hexachlorobutadiene (HCBD) (87-68-3)	Not Detected	

Test Method	Results	Requirements
TSCA Analysis		
In House Test Method 0.5 g sample/5 ml DCM, sonication for 30 mins at 70 degrees, cool and add 5 ml MeOH, 0,45 um filter, analysis with GC/MS		
Result		
Sample 8		
Black plastic part	RESULTS	REQUIREMENT
2,4,6-Tris(tert-butyl)phenol (2,4,6-TTBP) (732-26-3)	Not Detected	
Decabromodiphenyl ether (DecaBDE) (1163-19-5)	Not Detected	
Phenol, isopropylated phosphate (3:1) (PIP 3:1) (68937-41-7)	Not Detected	No Requirement
Pentachlorothiophenol (PCTP) (133-49-3)	Not Detected	
Hexachlorobutadiene (HCBD) (87-68-3)	Not Detected	
Sample 8		
Black foam	RESULTS	REQUIREMENT
2,4,6-Tris(tert-butyl)phenol (2,4,6-TTBP) (732-26-3)	Not Detected	
Decabromodiphenyl ether (DecaBDE) (1163-19-5)	Not Detected	
Phenol, isopropylated phosphate (3:1) (PIP 3:1) (68937-41-7)	Not Detected	No Requirement
Pentachlorothiophenol (PCTP) (133-49-3)	Not Detected	
Hexachlorobutadiene (HCBD) (87-68-3)	Not Detected	

Test Method	Results	Requirements
TSCA Analysis		
In House Test Method 0.5 g sample/5 ml DCM, sonication for 30 mins at 70 degrees, cool and add 5 ml MeOH, 0,45 um filter, analysis with GC/MS		
Result		
Sample 9	RESULTS	REQUIREMENT
2,4,6-Tris(tert-butyl)phenol (2,4,6-TTBP) (732-26-3)	Not Detected	
Decabromodiphenyl ether (DecaBDE) (1163-19-5)	Not Detected	
Phenol, isopropylated phosphate (3:1) (PIP 3:1) (68937-41-7)	Not Detected	No Requirement
Pentachlorothiophenol (PCTP) (133-49-3)	Not Detected	
Hexachlorobutadiene (HCBD) (87-68-3)	Not Detected	
Sample 10	RESULTS	REQUIREMENT
2,4,6-Tris(tert-butyl)phenol (2,4,6-TTBP) (732-26-3)	Not Detected	
Decabromodiphenyl ether (DecaBDE) (1163-19-5)	Not Detected	
Phenol, isopropylated phosphate (3:1) (PIP 3:1) (68937-41-7)	Not Detected	No Requirement
Pentachlorothiophenol (PCTP) (133-49-3)	Not Detected	
Hexachlorobutadiene (HCBD) (87-68-3)	Not Detected	

Test Method	Results	Requirements
TSCA Analysis In House Test Method 0.5 g sample/5 ml DCM, sonication for 30 mins at 70 degrees, cool and add 5 ml MeOH, 0,45 um filter, analysis with GC/MS		
Result		
Sample 11	RESULTS	REQUIREMENT
2,4,6-Tris(tert-butyl)phenol (2,4,6-TTBP) (732-26-3)	Not Detected	
Decabromodiphenyl ether (DecaBDE) (1163-19-5)	Not Detected	
Phenol, isopropylated phosphate (3:1) (PIP 3:1) (68937-41-7)	Not Detected	No Requirement
Pentachlorothiophenol (PCTP) (133-49-3)	Not Detected	
Hexachlorobutadiene (HCBD) (87-68-3)	Not Detected	
Sample 12	RESULTS	REQUIREMENT
2,4,6-Tris(tert-butyl)phenol (2,4,6-TTBP) (732-26-3)	Not Detected	
Decabromodiphenyl ether (DecaBDE) (1163-19-5)	Not Detected	
Phenol, isopropylated phosphate (3:1) (PIP 3:1) (68937-41-7)	Not Detected	No Requirement
Pentachlorothiophenol (PCTP) (133-49-3)	Not Detected	
Hexachlorobutadiene (HCBD) (87-68-3)	Not Detected	

Test Method	Results	Requirements
TSCA Analysis		
In House Test Method 0.5 g sample/5 ml DCM, sonication for 30 mins at 70 degrees, cool and add 5 ml MeOH, 0,45 um filter, analysis with GC/MS		
Result		
Sample 13	RESULTS	REQUIREMENT
2,4,6-Tris(tert-butyl)phenol (2,4,6-TTBP) (732-26-3)	Not Detected	
Decabromodiphenyl ether (DecaBDE) (1163-19-5)	Not Detected	
Phenol, isopropylated phosphate (3:1) (PIP 3:1) (68937-41-7)	Not Detected	No Requirement
Pentachlorothiophenol (PCTP) (133-49-3)	Not Detected	
Hexachlorobutadiene (HCBD) (87-68-3)	Not Detected	
Sample 14	RESULTS	REQUIREMENT
Black plastic body & part		
2,4,6-Tris(tert-butyl)phenol (2,4,6-TTBP) (732-26-3)	Not Detected	
Decabromodiphenyl ether (DecaBDE) (1163-19-5)	Not Detected	
Phenol, isopropylated phosphate (3:1) (PIP 3:1) (68937-41-7)	Not Detected	No Requirement
Pentachlorothiophenol (PCTP) (133-49-3)	Not Detected	
Hexachlorobutadiene (HCBD) (87-68-3)	Not Detected	

Detection Limit = 50 mg/kg

RESULTS

REPORT :TURT210144955

Page 11 of 12

18 November ,2021

Hardline

Sample




Sample



Sample



Sample



Sample



Sample



RESULTS

REPORT :TURT210144955

Page 12 of 12

18 November ,2021

Hardline


Sample



Sample



Sample



END OF TEST REPORT