

19" SLIMbox Series Wall Mounting Distribution Racks W600-D200 mm



19" SLIMbox

Wall Mounting Distribution Rack W600-D200mm

Load Capacity: 100 kgs.

**U Height: 3U Vertical Assembly
3U Horizontal**

Standards and Compliances:



ISO 9001
Quality Management System

EN 61587-1
Mechanical Structures for
Electronic Equipment

EN IEC 60297, 19" Mounting
EN IEC 60917 Overall Cabinet
Dimensions

EN/IEC 60529 - IP20 Ingress Protection
performance

EN/IEC 62262 - IK07 Mechanical
Impact Resistance

EIA/ ECA-310 (D/E) 19" 482,6 mm
and U 44,45 mm Height Sizing



CE conform to
EN 60950-1
Information Technology
Equipment, Safety,
Part-1: General Requirement

EN IEC 62368-1 Audio/Video, Information
and Communication Technology
Equipment
Part 1: Safety requirements



UL listed to
UL 2416, Outline of Investigation for
Audio/Video, Information and
Communication Technology Equipment
Cabinet, Enclosure and Rack
Systems; UL 60950-1 and CSA C22.2
NO. 60950-1-07, Information Technology
Equipment Safety
Part 1: General Requirements



Environment Friendly;
ISO 14001 Environmental
Management System
RoHS compliancy
%100 Recyclable Material

Standard Colors:



RAL 7035 Light Grey



RAL 9005 Black



Features:


- Separately locking hinged body.
- Upper bay mounts patch panels and pivots 100°.
- Lower bay mounts switches, hubs, routers and pivots.
- Punched knockouts in the backpan with plastic cover for cable entry:
 - Top and bottom - 145x70 mm
 - Right and left - 145x70 mm
 - Punched knockouts in body of backpan with plastic cover for cable entry: 145x70 mm
- One bottom located fan mounting position with guard. (fan not included).
- Vented front for ventilation.
- Abundant cable tie points included for cable management.
- Available in a durable texture electrostatic powder paint
- 70-90µm thickness
- 500 hours of Salt Spray test resistance
- Adhesion capability EN ISO 2409 : Class 0 to 1
- RAL 7035 or RAL 9005

19" SLIMbox


Wall Mounting Distribution Rack W600-D200mm

Construction Drawings


Wall Mounted 19" SLIMbox Distribution Cabinets allow vertical mounting with 2 independent mounting areas for patch panels, switches, hubs, routers and any 19" active devices D200 mm.




Bottom view




Front view



Side view



Isometric view



Top view

SLIMBox Series - Wall Mounting 19" Distribution Racks W=600mm D=200mm (SLIM design)


*Product Number	Series	Product Description	Width W(mm)	Depth D(mm)	Height H(mm)	Cable Entry (pcs)	Lock (pcs)	Hinge (pcs)	Net Weight (kg)	Gross Weight (kg)	Qty Carton (pcs)
LN-WMSLM33U-CC	SLIMbox	3U Vertical Assembly + 3U Horizontal Assembly 19" Wall Mounting Distribution Cabinet	600	200	900	6	1	2	16,6	18,8	1

*CC= Color Code please define while ordering the color code as LG Light Grey RAL 7035, BL Black RAL 9005.

19" SLIMbox

Wall Mounting Distribution Rack W600-D200mm

Construction Drawings




Exploded view

Shipping Configuration			
Part Definition	Material Quality	Material Thickness (mm)	Shipment Configuration
MAIN BODY (STRUCTURE)	DIN EN 10130-DC-01-6112 CRS	1	1
DOOR	DIN EN 10130-DC-01-6112 CRS	1	1
19" RACK RAIL BRACKET	DIN EN 10130-DC-01-6112 CRS	1,5	2
19" RACK RAIL	DIN EN 10130-DC-01-6112 CRS	1,5	4
CABLE MOUNTING BRACKET	DIN EN 10130-DC-01-6112 CRS	1	2

19" SLIMbox

Wall Mounting Distribution Rack W600-D200mm

Construction Drawings



Both rack rails can be adjusted 100°

Packaging :
The rack distribution cabinets shall be packed with a cardboard box and placed on a wooden pallet (1100x1300 mm). Vertical corners are protected with 4 double bended cardboard sheets. Covered with stretch film and labelled.

SLIMBox Series - Wall Mounting 19" Distribution Racks W=600mm D=200mm (SLIM design) - Packaging Details					
*Product Number	Series	Product Description	Box Dimension (HxWxD)	Pallet Dimensions (HxWxD)	QTY in Pallet
LN-WMSLM33U-CC	SLIMbox	3U Vertical Assembly + 3U Horizontal Assembly 19" Wall Mounting Distribution Cabinet	920x620x220	1600x1100x1300	14

*CC= Color Code please define while ordering the color code as LG Light Grey RAL 7035, BL Black RAL 9005.



CONTACT DETAILS

Headquarters

Address:

Merve Mah. Gazi Cad. No: 17 **Phone:** +90 216 312 26 53
Sancaktepe - İstanbul / TURKEY **Fax** : +90 216 312 09 09

Factory

Address:

20. Cadde No: 14 Eskişehir **Phone:** +90 222 236 24 66 pbx
Organize San. Bölge. 26110 **Fax** : +90 222 236 13 53
Eskişehir / TURKEY

www.lande.com.tr | sales@lande.com.tr

